


# Huddly GO





**For small spaces and  
huddle rooms.**



# Huddly GO

## Product Information

Weight: 110 g / 0.24 lbs



## Specifications

### Image

- 16 Megapixels 1/2.3" CMOS Sensor
- 720p HD @ 30 fps
- 16:9 aspect ratio output
- UVC 1.1 Plug & Play Compatible
- MJPEG, YUV 4:2:2 and 4:2:0 support over USB 3
- MJPEG support over USB 2

### Optics

- Ultra-wide angle glass optics
- Horizontal field of view 120°
- Vertical field of view 90°
- Diagonal field of view 150°
- f/2.8 aperture

### Connectivity

- USB Type-C connector
- SuperSpeed USB 3
- HighSpeed USB 2
- Power requirement 5V 900mA

### Hardware

- High-performance video processing engine
- Embedded mounting hinge
- Camera tripod mount
- Requires 5V 900 mA power supply

### Color

Matte Gray

# Huddly GO

## Product Information

### Features

#### Wide-Angle Lens

The camera features a wide-angle lens that ensures everyone is captured on video, even those who are close to the screen.

#### Digital Pan/Tilt/Zoom

The camera has no moving parts, allowing Pan, Tilt, and Zoom functions to be adjusted smoothly, silently and instantly.

#### Image Enhancement

The camera automatically corrects white balance, color, and optical aberration. It reduces image noise through bias compensating spatio-temporal filtering with wide-area chroma filtering and adapts to poor lighting conditions with Dynamic Light Optimization.


#### Real-Time Dewarping

The camera's wide-angle image is dewarped and perspective corrected in real time, rendering a natural, true-to-life view.

#### 180° Auto-Flip

The camera automatically provides the correct view when mounted upside down.

### Room Examples



Maiks Datenverarbeitungs GmbH  
Amselstr. 28 68307 Mannheim  
Tel.: +49 (0) 621-77774-0  
Fax: +49 (0) 621-77774-48  
team-vertrieb@maiks.de  
www.maiks.de